

BUCHAS DE BRONZE 500mm

Diâmetro			Diâmetros			Diâmetros			Diâmetros		
Externo	Interno	Peso	Externo	Interno	Peso	Externo	Interno	Peso	Externo	Interno	Peso
Polegada	Polegada	Kg.	Polegada	Polegada	Kg.	Polegada	Polegada	Kg.	Polegada	Polegada	Kg.
7/8	1/2	1,550	1.3/4	1/2	7,050	2.1/8	1.1/8	8,300	2.1/2	1.3/8	10,950
7/8	5/8	1,300	1.3/4	5/8	6,800	2.1/8	1.1/4	7,650	2.1/2	1.1/2	10,150
1	1/2	2,100	1.3/4	3/4	6,450	2.1/8	1.3/8	6,950	2.1/2	1.5/8	9,300
1	5/8	1,850	1.3/4	7/8	6,000	2.1/8	1.1/2	6,150	2.1/2	1.3/4	8,350
1	3/4	1,500	1.3/4	1	5,500	2.1/8	1.5/8	5,300	2.1/2	1.7/8	7,350
1.1/8	1/2	2,750	1.3/4	1.1/8	4,950	2.1/4	1/2	11,650	2.1/2	2	6,300
1.1/8	5/8	2,500	1.3/4	1.1/4	4,300	2.1/4	5/8	11,400	2.5/8	1/2	16,400
1.1/8	3/4	2,150	1.3/4	1.3/8	3,600	2.1/4	3/4	11,050	2.5/8	5/8	16,150
1.1/8	7/8	1,700	1.7/8	1.1/2	2,800	2.1/4	7/8	10,600	2.5/8	3/4	15,800
1.1/4	1/2	3,450	1.7/8	1/2	8,100	2.1/4	1	10,100	2.5/8	7/8	15,350
1.1/4	5/8	3,200	1.7/8	5/8	7,850	2.1/4	1.1/8	9,550	2.5/8	1	14,850
1.1/4	3/4	2,850	1.7/8	3/4	7,500	2.1/4	1.1/4	8,900	2.5/8	1.1/8	14,300
1.1/4	7/8	2,400	1.7/8	7/8	7,050	2.1/4	1.3/8	8,200	2.5/8	1.1/4	13,650
1.1/4	1	1,900	1.7/8	1	6,550	2.1/4	1.1/2	7,400	2.5/8	1.3/8	12,950
1.3/8	1/2	4,250	1.7/8	1.1/8	6,000	2.1/4	1.5/8	6,550	2.5/8	1.1/2	12,150
1.3/8	5/8	4,000	1.7/8	1.1/4	5,350	2.1/4	1.3/4	5,600	2.5/8	1.5/8	11,300
1.3/8	3/4	3,650	1.7/8	1.3/8	4,650	2.1/4	1.7/8	4,600	2.5/8	1.3/4	10,350
1.3/8	7/8	3,200	1.7/8	1.1/2	3,850	2.3/8	5/8	12,800	2.5/8	1.7/8	9,350
1.3/8	1	2,700	2	1.5/8	3,000	2.3/8	3/4	12,450	2.5/8	2	8,300
1.3/8	1.1/8	2,150	2	1/2	9,200	2.3/8	7/8	12,000	2.5/8	2.1/8	7,200
1.1/2	1/2	5,100	2	5/8	8,950	2.3/8	1	11,500	2.3/4	1/2	17,450
1.1/2	5/8	4,850	2	3/4	8,600	2.3/8	1.1/8	10,950	2.3/4	5/8	17,200
1.1/2	3/4	4,500	2	7/8	8,150	2.3/8	1.1/4	10,300	2.3/4	3/4	16,850
1.1/2	7/8	4,050	2	1	7,650	2.3/8	1.3/8	9,600	2.3/4	7/8	16,400
1.1/2	1	3,550	2	1.1/8	7,100	2.3/8	1.1/2	8,800	2.3/4	1	15,900
1.1/2	1.1/8	3,000	2	1.1/4	6,450	2.3/8	1.5/8	7,950	2.3/4	1.1/8	15,350
1.1/2	1.1/4	2,350	2	1.3/8	5,750	2.3/8	1.3/4	7,000	2.3/4	1.1/4	14,700
1.5/8	1/2	6,050	2	1.1/2	4,950	2.3/8	1.7/8	6,000	2.3/4	1.3/8	14,000
1.5/8	5/8	5,800	2	1.5/8	4,100	2.1/2	1/2	14,400	2.3/4	1.1/2	13,200
1.5/8	3/4	5,450	2	1.3/4	3,150	2.1/2	5/8	14,150	2.3/4	1.5/8	12,350
1.5/8	7/8	5,000	2.1/8	1/2	10,400	2.1/2	3/4	13,200	2.3/4	1.3/4	11,400
1.5/8	1	4,500	2.1/8	5/8	10,150	2.1/2	7/8	13,350	2.3/4	1.7/8	10,400
1.5/8	1.1/8	3,950	2.1/8	3/4	9,800	2.1/2	1	12,850	2.3/4	2	9,350
1.5/8	1.1/4	3,300	2.1/8	7/8	9,350	2.1/2	1.1/8	12,300	2.3/4	2.1/8	8,250
1.5/8	1.3/8	2,600	2.1/8	1	8,850	2.1/2	1.1/4	11,650	2.3/4	2.1/4	7,050

BUCHAS DE BRONZE 500mm

Diâmetro			Diâmetros			Diâmetros			Diâmetros		
Externo	Interno	Peso	Externo	Interno	Peso	Externo	Interno	Peso	Externo	Interno	Peso
Polegada	Polegada	Kg.	Polegada	Polegada	Kg.	Polegada	Polegada	Kg.	Polegada	Polegada	Kg.
2.7/8	1/2	19,050	3.1/8	5/8	22,300	3.3/8	5/8	26,050	3.1/2	2.5/8	13,900
2.7/8	5/8	18,800	3.1/8	3/4	21,950	3.3/8	3/4	25,700	3.1/2	2.3/4	11,900
2.7/8	3/4	18,450	3.1/8	7/8	21,500	3.3/8	7/8	25,250	3.1/2	2.7/8	10,850
2.7/8	7/8	18,000	3.1/8	1	21,000	3.3/8	1	24,750	3.1/2	3	9,250
2.7/8	1	17,500	3.1/8	1.1/8	20,450	3.3/8	1.1/8	24,200	3.5/8	1/2	30,400
2.7/8	1.1/8	16,950	3.1/8	1.1/4	19,800	3.3/8	1.1/4	23,550	3.5/8	5/8	31,150
2.7/8	1.1/4	16,300	3.1/8	1.3/8	19,100	3.3/8	1.3/8	22,850	3.5/8	3/4	29,800
2.7/8	1.3/8	15,600	3.1/8	1.1/2	18,300	3.3/8	1.1/2	22,050	3.5/8	7/8	29,350
2.7/8	1.1/2	14,800	3.1/8	1.5/8	17,450	3.3/8	1.5/8	21,200	3.5/8	1	28,850
2.7/8	1.5/8	13,950	3.1/8	1.3/4	16,500	3.3/8	1.3/4	20,250	3.5/8	1.1/8	28,300
2.7/8	1.3/4	13,000	3.1/8	1.7/8	15,500	3.3/8	1.7/8	19,250	3.5/8	1.1/4	27,650
2.7/8	1.7/8	12,000	3.1/8	2	14,450	3.3/8	2	18,200	3.5/8	1.3/8	26,950
2.7/8	2	10,950	3.1/8	2.1/8	13,350	3.3/8	2.1/8	17,100	3.5/8	1.1/2	26,150
2.7/8	2.1/8	9,850	3.1/8	2.1/4	12,150	3.3/8	2.1/4	15,900	3.5/8	1.3/4	24,350
2.7/8	2.1/4	8,650	3.1/8	2.3/8	10,900	3.3/8	2.3/8	14,650	3.5/8	1.7/8	23,350
2.7/8	2.3/8	7,400	3.1/8	2.1/2	9,500	3.3/8	2.1/2	13,250	3.5/8	2	22,300
3	1/2	20,800	3.1/4	1/2	24,300	3.3/8	2.5/8	11,900	3.5/8	2.1/8	21,200
3	5/8	20,550	3.1/4	5/8	24,050	3.3/8	2.3/4	9,900	3.5/8	2.1/4	20,000
3	3/4	20,200	3.1/4	3/4	23,700	3.1/2	1/2	28,300	3.5/8	2.3/8	18,750
3	7/8	19,750	3.1/4	7/8	23,250	3.1/2	5/8	28,050	3.5/8	2.1/2	17,350
3	1	19,250	3.1/4	1	22,750	3.1/2	3/4	27,700	3.5/8	2.5/8	16,000
3	1.1/8	18,700	3.1/4	1.1/8	22,200	3.1/2	7/8	27,250	3.5/8	2.3/4	14,000
3	1.1/4	18,050	3.1/4	1.1/4	21,500	3.1/2	1	26,750	3.5/8	2.7/8	12,950
3	1.3/8	17,350	3.1/4	1.3/8	20,850	3.1/2	1.1/8	26,200	3.5/8	3	11,350
3	1.1/2	16,550	3.1/4	1.1/2	20,050	3.1/2	1.1/4	25,550	3.5/8	3.1/8	9,600
3	1.5/8	15,700	3.1/4	1.5/8	19,200	3.1/2	1.3/8	24,850	3.3/4	1/2	32,550
3	1.3/4	14,750	3.1/4	1.3/4	18,250	3.1/2	1.1/2	24,050	3.3/4	5/8	32,300
3	1.7/8	13,750	3.1/4	1.7/8	17,25	3.1/2	1.5/8	23,200	3.3/4	3/4	31,950
3	2	12,700	3.1/4	2	16,200	3.1/2	1.3/4	22,250	3.3/4	7/8	31,500
3	2.1/8	11,600	3.1/4	2.1/8	15,100	3.1/2	1.7/8	21,250	3.3/4	1	31,000
3	2.1/4	10,400	3.1/4	2.1/4	13,900	3.1/2	2	20,200	3.3/4	1.1/8	30,450
3	2.3/8	9,150	3.1/4	2.3/8	12,650	3.1/2	2.1/8	19,100	3.3/4	1.1/4	29,800
3	2.1/2	7,750	3.1/4	2.1/2	11,250	3.1/2	2.1/4	17,900	3.3/4	1.3/8	29,100
3	2.5/8	6,400	3.1/4	2.5/8	9,900	3.1/2	2.3/8	16,650	3.3/4	1.1/2	28,300
3.1/8	1/2	22,550	3.3/8	1/2	26,300	3.1/2	2	15,250	3.3/4	1.5/8	27,450

BUCHAS DE BRONZE 500mm

Diâmetro			Diâmetros			Diâmetros			Diâmetros		
Externo	Interno	Peso	Externo	Interno	Peso	Externo	Interno	Peso	Externo	Interno	Peso
Polegada	Polegada	Kg.	Polegada	Polegada	Kg.	Polegada	Polegada	Kg.	Polegada	Polegada	Kg.
3.3/4	1.3/4	26,500	3.7/8	3.1/4	12,250	4.1/8	1.1/4	36,550	4.1/4	2.3/8	30,150
3.3/4	1.7/8	25,500	3.7/8	3.3/8	10,500	4.1/8	1.3/8	35,850	4.1/4	2.1/2	28,750
3.3/4	2	24,450	3.7/8	3.1/2	8,500	4.1/8	1.1/2	35,050	4.1/4	2.5/8	27,400
3.3/4	2.1/8	23,350	3.7/8	3.5/8	6,500	4.1/8	1.5/8	34,200	4.1/4	2.3/4	25,400
3.3/4	2.1/4	22,150	4	1/2	37,050	4.1/8	1.3/4	33,250	4.1/4	2.7/8	24,350
3.3/4	2.3/8	20,900	4	5/8	36,800	4.1/8	1.7/8	32,250	4.1/4	3	22,750
3.3/4	2.1/2	19,500	4	3/4	36,450	4.1/8	2	31,200	4.1/4	3.1/8	21,000
3.3/4	2.5/8	18,150	4	7/8	36,000	4.1/8	2.1/8	30,100	4.1/4	3.1/4	19,250
3.3/4	2.3/4	16,150	4	1	35,500	4.1/8	2.1/4	28,900	4.1/4	3.3/8	17,500
3.3/4	2.7/8	15,100	4	1.1/8	34,950	4.1/8	2.3/8	27,650	4.1/4	3.1/2	15,500
3.3/4	3	13,500	4	1.1/4	34,300	4.1/8	2.1/2	28,250	4.1/4	3.5/8	13,500
3.3/4	3.1/8	11,750	4	1.3/8	33,600	4.1/8	2.5/8	24,900	4.1/4	3.3/4	11,400
3.3/4	3.1/4	10,000	4	1.1/2	32,800	4.1/8	2.3/4	22,900	4.3/8	1/2	44,300
3.7/8	1/2	34,800	4	1.5/8	31,950	4.1/8	2.7/8	21,850	4.3/8	5/8	44,050
3.7/8	5/8	34,550	4	1.3/4	31,000	4.1/8	3	20,250	4.3/8	3/4	43,700
3.7/8	3/4	34,200	4	1.7/8	30,000	4.1/8	3.1/8	18,500	4.3/8	7/8	43,250
3.7/8	7/8	33,750	4	2	28,950	4.1/8	3.1/4	16,750	4.3/8	1	42,750
3.7/8	1	33,250	4	2.1/8	27,850	4.1/8	3.3/8	15,000	4.3/8	1.1/8	42,200
3.7/8	1.1/8	32,700	4	2.1/4	26,650	4.1/8	3.1/2	13,000	4.3/8	1.1/4	41,550
3.7/8	1.1/4	32,050	4	2.3/8	25,400	4.1/8	3.5/8	11,000	4.3/8	1.3/8	40,850
3.7/8	1.3/8	31,350	4	2.1/2	24,000	4.1/4	1/2	41,800	4.3/8	1.1/2	40,050
3.7/8	1.1/2	30,550	4	2.5/8	22,650	4.1/4	5/8	41,550	4.3/8	1.5/8	39,200
3.7/8	1.5/8	29,700	4	2.3/4	20,650	4.1/4	3/4	41,200	4.3/8	1.3/4	38,250
3.7/8	1.3/4	28,750	4	2.7/8	19,600	4.1/4	7/8	40,750	4.3/8	1.7/8	37,250
3.7/8	1.7/8	27,750	4	3	18,000	4.1/4	1	40,250	4.3/8	2	36,200
3.7/8	2	26,700	4	3.1/8	16,250	4.1/4	1.1/8	39,700	4.3/8	2.1/8	35,100
3.7/8	2.1/8	25,600	4	3.1/4	14,500	4.1/4	1.1/4	39,050	4.3/8	2.1/4	33,900
3.7/8	2.1/4	24,400	4	3.3/8	12,750	4.1/4	1.3/8	38,350	4.3/8	2.3/8	32,650
3.7/8	2.3/8	23,150	4	3.1/2	10,750	4.1/4	1.1/2	37,550	4.3/8	2.1/2	31,250
3.7/8	2.1/2	21,750	4.1/8	1/2	39,300	4.1/4	1.5/8	36,700	4.3/8	2.5/8	29,900
3.7/8	2.5/8	20,400	4.1/8	5/8	39,050	4.1/4	1.3/4	35,750	4.3/8	2.3/4	27,900
3.7/8	2.3/4	18,400	4.1/8	3/4	38,700	4.1/4	1.7/8	34,750	4.3/8	2.7/8	26,850
3.7/8	2.7/8	17,350	4.1/8	7/8	38,250	4.1/4	2	33,700	4.3/8	3	25,250
3.7/8	3	15,750	4.1/8	1	37,750	4.1/4	2.1/8	32,600	4.3/8	3.1/8	23,500
3.7/8	3.1/8	14,000	4.1/8	1.1/8	37,200	4.1/4	2.1/4	31,400	4.3/8	3.1/4	21,750

BUCHAS DE BRONZE 500mm

Diâmetro			Diâmetros			Diâmetros			Diâmetros		
Externo	Interno	Peso	Externo	Interno	Peso	Externo	Interno	Peso	Externo	Interno	Peso
Polegada	Polegada	Kg.	Polegada	Polegada	Kg.	Polegada	Polegada	Kg.	Polegada	Polegada	Kg.
4.3/8	3.3/8	20,000	4.5/8	1.5/8	44,450	4.3/4	2.3/4	35,800	4.7/8	3.3/4	24,650
4.3/8	3.1/2	18,000	4.5/8	1.3/4	43,500	4.3/4	2.7/8	34,750	4.7/8	3.7/8	22,500
4.3/8	3.5/8	16,000	4.5/8	1.7/8	42,500	4.3/4	3	33,150	4.7/8	4	20,250
4.3/8	3.3/4	13,900	4.5/8	2	41,450	4.3/4	3.1/8	31,400	4.7/8	4.1/8	18,000
4.3/8	3.7/8	11,750	4.5/8	2.1/8	40,350	4.3/4	3.1/4	29,650	4.7/8	4.1/4	15,750
4.1/2	1	45,250	4.5/8	2.1/4	39,150	4.3/4	3.3/8	27,900	4.7/8	4.3/8	13,250
4.1/2	1.1/8	44,700	4.5/8	2.3/8	37,900	4.3/4	3.1/2	25,900	5	1	56,250
4.1/2	1.1/4	44,050	4.5/8	2.1/2	36,500	4.3/4	3.5/8	23,900	5	1.1/8	55,700
4.1/2	1.3/8	43,350	4.5/8	2.5/8	35,150	4.3/4	3.3/4	21,800	5	1.1/4	55,050
4.1/2	1.1/2	41,550	4.5/8	2.3/4	33,150	4.3/4	3.7/8	19,650	5	1.3/8	54,350
4.1/2	1.5/8	41,700	4.5/8	2.7/8	32,100	4.3/4	4	17,400	5	1.1/2	53,550
4.1/2	1.3/4	40,750	4.5/8	3	30,500	4.3/4	4.1/8	15,150	5	1.5/8	52,700
4.1/2	1.7/8	29,750	4.5/8	3.1/8	28,750	4.3/4	4.1/4	12,900	5	1.3/4	51,750
4.1/2	2	38,700	4.5/8	3.1/4	27,000	4.7/8	1	53,500	5	1.7/8	50,750
4.1/2	2.1/8	37,600	4.5/8	3.3/8	25,250	4.7/8	1.1/8	52,950	5	2	49,700
4.1/2	2.1/4	36,400	4.5/8	3.1/2	23,250	4.7/8	1.1/4	52,300	5	2.1/8	48,600
4.1/2	2.3/8	35,150	4.5/8	3.5/8	21,250	4.7/8	1.3/8	51,600	5	2.1/4	47,400
4.1/2	2.1/2	33,750	4.5/8	3.3/4	19,500	4.7/8	1.1/2	50,800	5	2.3/8	45,150
4.1/2	2.5/8	32,400	4.5/8	3.7/8	17,000	4.7/8	1.5/8	49,950	5	2.1/2	44,750
4.1/2	2.3/4	30,400	4.5/8	4	14,750	4.7/8	1.3/4	49,000	5	2.5/8	43,400
4.1/2	2.7/8	29,350	4.5/8	4.1/8	12,500	4.7/8	1.7/8	48,000	5	2.3/4	41,400
4.1/2	3	27,750	4.3/4	1	50,650	4.7/8	2	46,950	5	2.7/8	40,350
4.1/2	3.1/8	26,000	4.3/4	1.1/8	50,100	4.7/8	2.1/8	45,850	5	3	38,750
4.1/2	3.1/4	24,250	4.3/4	1.1/4	49,450	4.7/8	2.1/4	44,650	5	3.1/8	37,000
4.1/2	3.3/8	22,500	4.3/4	1.3/8	48,750	4.7/8	2.3/8	43,400	5	3.1/4	35,250
4.1/2	3.1/2	20,500	4.3/4	1.1/2	47,950	4.7/8	2.1/2	42,000	5	3.3/8	33,500
4.1/2	3.5/8	18,500	4.3/4	1.5/8	47,100	4.7/8	2.5/8	40,650	5	3.1/2	31,500
4.1/2	3.3/4	16,400	4.3/4	1.3/4	46,150	4.7/8	2.3/4	38,650	5	3.5/8	29,500
4.1/2	3.7/8	14,250	4.3/4	1.7/8	45,150	4.7/8	2.7/8	37,600	5	3.3/4	27,400
4.1/2	4	12,000	4.3/4	2	44,100	4.7/8	3	36,000	5	3.7/8	25,250
4.5/8	1	48,000	4.3/4	2.1/8	43,000	4.7/8	3.1/8	34,250	5	4	23,000
4.5/8	1.1/8	47,750	4.3/4	2.1/4	41,800	4.7/8	3.1/4	32,500	5	4.1/8	20,750
4.5/8	1.1/4	46,800	4.3/4	2.3/8	40,550	4.7/8	3.3/8	30,750	5	4.1/4	18,500
4.5/8	1.3/8	46,100	4.3/4	2.1/2	39,150	4.7/8	3.1/2	28,750	5	4.3/8	16,000
4.5/8	1.1/2	45,300	4.3/4	2.5/8	37,800	4.7/8	3.5/8	26,750	5	4.1/2	13,500

BUCHAS DE BRONZE 500mm

Diâmetro			Diâmetros			Diâmetros			Diâmetros		
Externo	Interno	Peso	Externo	Interno	Peso	Externo	Interno	Peso	Externo	Interno	Peso
Polegada	Polegada	Kg.	Polegada	Polegada	Kg.	Polegada	Polegada	Kg.	Polegada	Polegada	Kg.
5.1/8	1	59,100	5.1/4	2	55,550	5.3/8	2.7/8	49,200	5.1/2	3.7/8	37,250
5.1/8	1.1/8	58,550	5.1/4	2.1/8	54,450	5.3/8	3	47,600	5.1/2	4	35,000
5.1/8	1.1/4	57,900	5.1/4	2.1/4	53,250	5.3/8	3.1/8	45,850	5.1/2	4.1/4	30,500
5.1/8	1.3/8	57,200	5.1/4	2.3/8	52,000	5.3/8	3.1/4	44,100	5.1/2	4.3/8	28,000
5.1/8	1.1/2	56,400	5.1/4	2.1/2	50,600	5.3/8	3.3/8	42,350	5.1/2	4.1/2	25,500
5.1/8	1.5/8	55,550	5.1/4	2.5/8	49,250	5.3/8	3.1/2	40,350	5.1/2	4.5/8	23,000
5.1/8	1.3/4	54,600	5.1/4	2.3/4	47,250	5.3/8	3.5/8	38,350	5.1/2	4.3/4	20,250
5.1/8	1.7/8	53,600	5.1/4	2.7/8	46,200	5.3/8	3.3/4	36,250	5.1/2	4.7/8	17,600
5.1/8	2	52,550	5.1/4	3	44,600	5.3/8	3.7/8	34,100	5.5/8	1	71,400
5.1/8	2.1/8	51,450	5.1/4	3.1/8	42,850	5.3/8	4	31,850	5.5/8	1.1/8	70,850
5.1/8	2.1/4	50,250	5.1/4	3.1/4	4,1000	5.3/8	4.1/4	27,350	5.5/8	1.1/4	70,200
5.1/8	2.3/8	49,000	5.1/4	3.3/8	39,350	5.3/8	4.3/8	24,850	5.5/8	1.3/8	69,500
5.1/8	2.1/2	47,600	5.1/4	3.1/2	37,350	5.3/8	4.1/2	22,350	5.5/8	1.1/2	68,700
5.1/8	2.5/8	46,250	5.1/4	3.5/8	35,350	5.3/8	4.5/8	19,850	5.5/8	1.5/8	67,850
5.1/8	2.3/4	44,230	5.1/4	3.3/4	33,250	5.3/8	4.3/4	173,100	5.5/8	1.3/4	66,900
5.1/8	2.7/8	43,200	5.1/4	3.7/8	31,100	5.1/2	1	68,250	5.5/8	1.7/8	65,900
5.1/8	3	41,600	5.1/4	4	28,850	5.1/2	1.1/4	67,050	5.5/8	2	64,850
5.1/8	3.1/8	39,860	5.1/4	4.1/4	24,350	5.1/2	1.3/8	66,350	5.5/8	2.1/4	62,550
5.1/8	3.1/4	38,100	5.1/4	4.3/8	21,850	5.1/2	1.1/2	65,550	5.5/8	2.3/8	61,300
5.1/8	3.3/8	36,350	5.1/4	4.1/2	19,350	5.1/2	1.5/8	64,700	5.5/8	2.1/2	59,900
5.1/8	3.1/2	34,350	5.1/4	4.5/8	16,850	5.1/2	1.3/4	63,750	5.5/8	2.5/8	58,550
5.1/8	3.5/8	32,350	5.1/4	4.3/4	14,100	5.1/2	1.7/8	62,750	5.5/8	2.3/4	56,550
5.1/8	3.3/4	30,250	5.3/8	1	65,100	5.1/2	2	61,700	5.5/8	2.7/8	55,500
5.1/8	3.7/8	28,100	5.3/8	1.1/4	63,900	5.1/2	2.1/8	60,600	5.5/8	3	53,900
5.1/8	4	25,850	5.3/8	1.3/8	63,200	5.1/2	2.1/4	59,400	5.5/8	3.1/8	52,150
5.1/8	4.1/8	23,600	5.3/8	1.1/2	62,400	5.1/2	2.3/8	58,150	5.5/8	3.1/4	50,400
5.1/8	4.1/4	21,350	5.3/8	1.5/8	61,550	5.1/2	2.1/2	56,750	5.5/8	3.3/8	48,650
5.1/8	4.3/8	18,850	5.3/8	1.3/4	60,600	5.1/2	2.5/8	55,400	5.5/8	3.1/2	46,650
5.1/4	1	62,100	5.3/8	1.7/8	59,600	5.1/2	2.3/4	53,400	5.5/8	3.5/8	44,650
5.1/4	1.1/4	60,900	5.3/8	2	58,550	5.1/2	3	50,750	5.5/8	3.3/4	42,550
5.1/4	1.3/8	60,200	5.3/8	2.1/4	56,250	5.1/2	3.1/4	47,250	5.5/8	3.7/8	40,400
5.1/4	1.1/2	59,400	5.3/8	2.3/8	55,000	5.1/2	3.3/8	45,500	5.5/8	4	38,150
5.1/4	1.5/8	58,550	5.3/8	2.1/2	53,600	5.1/2	3.1/2	43,500	5.5/8	4.1/4	33,650
5.1/4	1.3/4	57,600	5.3/8	2.5/8	52,250	5.1/2	3.5/8	41,500	5.5/8	4.3/8	31,150
5.1/4	1.7/8	56,600	5.3/8	2.3/4	50,250	5.1/2	3.3/4	39,400			

BUCHAS DE BRONZE 500mm

Diâmetro			Diâmetros			Diâmetros			Diâmetros		
Externo	Interno	Peso	Externo	Interno	Peso	Externo	Interno	Peso	Externo	Interno	Peso
Polegada	Polegada	Kg.	Polegada	Polegada	Kg.	Polegada	Polegada	Kg.	Polegada	Polegada	Kg.
5.5/8	4.1/2	28,650	5.3/4	4.5/8	29,350	6	2.1/8	73,600	6.1/4	3.3/4	57,750
5.5/8	4.5/8	26,150	5.3/4	4.3/4	26,600	6	2.1/4	72,400	6.1/4	4	53,350
5.5/8	4.3/4	23,400	5.3/4	4.7/8	23,950	6	2.3/8	71,150	6.1/4	4.1/4	48,850
5.5/8	4.7/8	20,750	5.3/4	5	21,100	6	2.1/2	69,750	6.1/4	4.1/2	43,850
5.5/8	5	17,900	5.3/4	5.1/8	18,350	6	2.5/8	68,400	6.1/4	4.3/4	38,600
5.5/8	5.1/8	15,150	5.3/4	5.1/4	15,500	6	2.3/4	66,400	6.1/4	5	37,100
5.3/4	1	74,600	5.7/8	2	71,450	6	2.7/8	65,350	6.1/4	5.1/4	27,500
5.3/4	1.1/8	74,050	5.7/8	2.1/8	70,350	6	3	63,750	6.1/2	2	87,700
5.3/4	1.1/4	73,400	5.7/8	2.1/4	69,150	6	3.1/8	62,000	6.1/2	2.1/4	85,400
5.3/4	1.3/8	72,700	5.7/8	2.3/8	67,900	6	3.1/4	60,250	6.1/2	2.1/2	82,750
5.3/4	1.1/2	71,900	5.7/8	2.1/2	66,500	6	3.3/8	58,500	6.1/2	2.3/4	79,400
5.3/4	1.5/8	71,050	5.7/8	2.5/8	65,150	6	3.1/2	56,500	6.1/2	3	76,750
5.3/4	1.3/4	70,100	5.7/8	2.3/4	63,150	6	3.5/8	54,500	6.1/2	3.1/4	73,250
5.3/4	1.7/8	69,100	5.7/8	2.7/8	62,100	6	3.3/4	52,400	6.1/2	3.1/2	69,500
5.3/4	2	68,050	5.7/8	3	60,500	6	3.7/8	50,250	6.1/2	3.3/4	65,400
5.3/4	2.1/8	66,950	5.7/8	3.1/8	58,750	6	4	48,000	6.1/2	4	61,000
5.3/4	2.1/4	65,750	5.7/8	3.1/4	57,000	6	4.1/8	45,750	6.1/2	4.1/4	56,500
5.3/4	2.3/8	64,500	5.7/8	3.3/8	55,250	6	4.1/4	43,500	6.1/2	4.1/2	51,500
5.3/4	2.1/2	63,100	5.7/8	3.1/2	53,250	6	4.3/8	41,000	6.1/2	4.3/4	46,250
5.3/4	2.5/8	61,750	5.7/8	3.5/8	51,250	6	4.1/2	38,500	6.1/2	5	40,750
5.3/4	2.3/4	59,750	5.7/8	3.3/4	49,150	6	4.5/8	36,000	6.1/2	5.1/4	35,150
5.3/4	2.7/8	58,700	5.7/8	3.7/8	47,000	6	4.3/4	33,250	6.1/2	5.1/2	29,150
5.3/4	3	57,100	5.7/8	4	44,750	6	4.7/8	30,600	6.3/4	2	94,550
5.3/4	3.1/8	55,350	5.7/8	4.1/8	42,500	6	5	27,750	6.3/4	2.1/4	92,250
5.3/4	3.1/4	53,600	5.7/8	4.1/4	40,250	6	5.1/8	25,000	6.3/4	2.1/2	89,600
5.3/4	3.3/8	51,850	5.7/8	4.3/8	37,750	6	5.1/4	22,150	6.3/4	2.3/4	86,250
5.3/4	3.1/2	49,850	5.7/8	4.1/2	35,250	6	5.3/8	19,150	6.3/4	3	83,600
5.3/4	3.5/8	47,850	5.7/8	4.5/8	32,750	6	5.1/2	16,150	6.3/4	3.1/4	80,100
5.3/4	3.3/4	45,750	5.7/8	4.3/4	30,000	6.1/4	2	80,000	6.3/4	3.1/2	76,350
5.3/4	3.7/8	43,600	5.7/8	4.7/8	27,350	6.1/4	2.1/4	77,750	6.3/4	3.3/4	72,250
5.3/4	4	41,350	5.7/8	5	24,500	6.1/4	2.1/2	75,100	6.3/4	4	67,850
5.3/4	4.1/8	39,100	5.7/8	5.1/8	21,750	6.1/4	2.3/4	71,750	6.3/4	4.1/4	63,350
5.3/4	4.1/4	36,850	5.7/8	5.1/4	18,900	6.1/4	3	69,100	6.3/4	4.1/2	58,350
5.3/4	4.3/8	34,350	5.7/8	5.3/8	15,900	6.1/4	3.1/4	65,600	6.3/4	4.3/4	53,100
5.3/4	4.1/2	31,850	6	2	74,700	6.1/4	3.1/2	61,850			

Barras de aço inoxidável

Diâmetro		Kg/m			Diâmetro		Kg/m		
Polegada	mm	Redondo	Quadrado	Sextavado	Polegada	mm	Redondo	Quadrado	Sextavado
1/4	6,35	0,25	0,32	0,27	2,3/8	60,32	22,42	28,54	24,72
5/16	7,94	0,39	0,49	0,43	2.1/2	63,50	24,84	31,62	27,38
3/8	9,53	0,56	0,71	0,62	2.5/8	66,67	27,38	34,87	30,19
7/16	11,11	0,76	0,97	0,84	2.3/4	69,85	30,05	38,27	33,14
1/2	12,70	0,99	1,22	1,10	2.7/8	73,02	32,85	41,82	36,22
9/16	14,29	1,26	1,60	1,39	3	76,20	35,77	45,54	39,43
5/8	15,87	1,55	1,98	1,71	3.1/8	79,38	38,81	49,41	42,79
11/16	17,46	1,88	2,39	2,07	3.1/4	82,55	41,88	53,44	46,34
3/4	19,05	2,24	2,85	2,46	3.3/8	85,73	45,27	57,63	49,98
13/16	20,64	2,62	3,34	2,89	3.1/2	88,90	48,68	61,98	53,74
7/8	22,22	3,04	3,87	3,35	3.5/8	92,08	52,22	66,49	57,66
15/16	23,81	3,49	4,45	3,85	3.3/4	95,25	55,88	71,15	61,69
1	25,40	3,97	5,06	4,38	3.7/8	98,43	60,67	75,98	65,88
1.1/16	26,99	4,49	5,71	4,95	4	101,60	63,58	80,96	-
1.1/8	28,57	5,03	6,40	5,55	4.1/2	114,30	80,47	102,46	-
1.3/16	30,16	5,60	7,14	6,18	5	127,00	99,80	126,50	-
1.1/4	31,75	6,21	7,91	6,85	5.1/2	139,70	120,20	153,10	-
1.5/16	33,34	6,85	8,72	7,55	6	152,40	143,10	182,50	-
1.3/8	34,92	7,51	9,57	8,29	6.1/2	165,10	167,90	213,50	-
1.7/16	36,51	8,21	10,46	9,06	7	177,80	194,70	248,10	-
1.1/2	38,10	8,94	11,39	9,86	7.1/2	190,50	223,80	285,00	-
1.9/16	39,69	9,70	12,35	10,70	8	203,20	254,60	324,00	-
1.5/8	41,27	10,49	13,36	11,57	8.1/2	215,90	287,40	365,90	-
1.11/16	42,86	11,32	14,41	12,48	9	228,60	322,10	410,20	-
1.3/4	44,45	12,17	15,50	13,42	10	254,00	397,80	506,50	-
1.13/16	46,04	10,06	16,62	14,40	11	279,40	481,20	612,80	-
1.7/8	47,62	13,97	17,79	15,41	12	304,80	572,70	729,30	-
1.15/16	49,21	14,92	18,99	16,45	13	355,60	672,60	855,80	-
2	50,80	15,90	20,24	17,53	14	355,60	779,70	992,60	-
2.1/8	53,97	17,95	22,85	19,79	15	381,00	894,90	1139,50	-
2.1/4	57,15	20,12	25,62	22,19	16	406,40	1017,30	1295,30	-